

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

X660

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements.

The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name Telephone Number Date of Inspection PERMIT #							
Establishment Name				Telephone Number	(mm/dd/y		
Bella Roma				812 725 9495	5/20	1/20 19-29	
Establishment Address (number and street, city, state, zip code) 134 E. Market St. Jun Allung, 12 47150 347 6						120	
134 E	- P\	~ K4	it St. New Allony, 12 47150	347 672 9597 Purpose:	Follow-u	n Release Date	
Gabri	elle M	Jas	im + Suz Nasim	(. Routine	YES TODAY		
Owner's Ad	ldress			2. Follow-up	Summary of Violations:		
				3. Complaint	١,	~ %	
Person in C				4. Pre-Operational	C_{-}	NC 8 R 🚫	
Michel	L NAS		<u> </u>	5. Temporary	Manu Ty	pe (See back of page)	
Responsible	Person's	E-ma	11	6. HACCP	Menu Ty	pe (see vack of page)	
Certified Fo	ood Manag	er		7. Other (list)	1 2	3 4 X 5	
M: L	Nasi		(1/18/24)		*		
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"							
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"							
Section#	C/NC	R	Narrative			To Be Corrected By	
415	C			C 1:1		1 week	
<u> </u>	<u> </u>		Observed roaches in cracks and scans of disharker I week				
<u> </u>			-neviewed CPO reciepts and contents with owner				
דרו	~~ L	_	Observed would funder on ground in puddle of water Today				
218	NC		Observed ice machine to be broken and benefity soiled Before use				
259	אנ		Menimed businest malkin could at 50°F Today				
			- N- more PHF may be stored in cooks				
			- regetables and hand only				
297	NC		Observed rucks in sintral worker to be moly / week				
342	NC		Observed but note at prop handsink to be broken I mack				
346	س ر		Observed no somp at employee restroom Today				
347	20		Observed no hand forch at hand sink in Kitchen - restreet Today				
413	20		Observed withher dur being left aper Today				
			FCHD will Norm 5/28				
	<u> </u>		1				
Received by (name and title printed): Inspected by (name and title printed):							
A.). Ingram (EHS)							
Received by (signature): Inspected by (signature):							
ay ay							
cc:			CC:		cc;	,	
					1		